

L Number	Hits	Search Text	DB	Time stamp
40	2772	((385/14) or (385/15) or (385/31)).CCLS.	USPAT	2003/07/21 13:36
41	780	((385/14) or (385/15) or (385/31)).CCLS.	US-PGPUB	2003/07/21 13:36
43	3552	((385/14) or (385/15) or (385/31)).CCLS. or ((385/14) or (385/15) or (385/31)).CCLS.)	USPAT;	2003/07/21 13:38
44	90	((385/14) or (385/15) or (385/31)).CCLS. or ((385/14) or (385/15) or (385/31)).CCLS.)	US-PGPUB	2003/07/21 13:38
45	59	((385/14) or (385/15) or (385/31)).CCLS. or ((385/14) or (385/15) or (385/31)).CCLS.)	USPAT;	2003/07/21 13:38
46	687	(semiconductor near2 (laser)) and (temperature near2 (sensor)) or (semiconductor near2 (laser)) and (temperature near2 (sensor))	US-PGPUB	2003/07/21 13:39
47	23	(semiconductor near2 (laser)).ti. and (temperature near2 (sensor))	USPAT	2003/07/21 13:41
50	0	(semiconductor near2 (laser)).ti. and (temperature near2 (sensor))	USOCR	2003/07/21 13:45
48	10	(semiconductor near2 (laser)).ti. and (temperature near2 (sensor))	US-PGPUB	2003/07/21 13:45
49	76	(semiconductor near2 (laser)).ti. and (temperature near2 (sensor))	EPO; JPO;	2003/07/21 14:04
51	1	("4338577").PN.	DERWENT;	2003/07/21 14:04
52	0	((("4338577").PN.) and (angstroms or millimeters or mm))	IBM TDB	2003/07/21 14:04
53	0	((("4338577").PN.) and (angstroms or microns))	USPAT	2003/07/21 14:05
54	1	("4884279").PN.	USPAT	2003/07/21 14:08
55	0	((("4884279").PN.) and (angstroms or microns or mm))	USPAT	2003/07/21 14:08
56	0	((("4338577").PN.) and (length or width or depth or dimensions))	USPAT	2003/07/21 15:05
57	0	((("4884279").PN.) and (length or width or depth or dimensions))	USPAT	2003/07/21 15:05
58	0	((("4884279").PN.) and (distance or away or apart or separation))	USPAT	2003/07/21 15:06
59	0	((("4338577").PN.) and (distance or away or apart or separation))	USPAT	2003/07/21 15:06
60	53	"4338577"	USPAT	2003/07/21 15:06
61	15	"4338577" and (thermistor)	USPAT	2003/07/21 15:06
62	14	"4338577" and (temperature near2 (sensor))	USPAT	2003/07/21 15:06
63	21	("4338577" and (thermistor)) or ("4338577" and (temperature near2 (sensor)))	USPAT	2003/07/21 15:07
65	9	"4884279"	USPAT	2003/07/21 15:14
64	16	((("4338577" and (thermistor)) or ("4338577" and (temperature near2 (sensor))) and (distance or width or length or wide or long or dimensions or separation or angstroms or microns or mm))	USPAT	2003/07/21 15:22
66	6	"4884279" and (distance or width or length or wide or long or dimensions or separation or angstroms or microns or mm)	USPAT	2003/07/21 15:15
67	5	("4884279" and (distance or width or length or wide or long or dimensions or separation or angstroms or microns or mm)) not (("4338577" and (thermistor)) or ("4338577" and (temperature near2 (sensor)))) and (distance or width or length or wide or long or dimensions or separation or angstroms or microns or mm))	USPAT	2003/07/21 15:24
68	0	(typical near6 "mm") with (laser near2 (module or package or chip))	USPAT	2003/07/21 15:25
69	1	(typical near6 "mm") with (laser near2 (module or package or chip))	US-PGPUB	2003/07/21 15:28
70	1	(typical near6 dimensions) with (laser near2 (module or package or chip))	US-PGPUB	2003/07/21 15:28
71	2	(typical near6 dimensions) with (laser near2 (module or package or chip))	USPAT	2003/07/21 15:30
72	2	(typical near6 dimensions) with (laser near3 (module or package or chip))	USPAT	2003/07/21 15:33
73	0	(typical near6 dimensions) with (laser near6 (package or packages or module or modules))	USPAT	2003/07/21 15:33
74	0	(typical near6 length) with (laser near6 (package or packages or module or modules))	USPAT	2003/07/21 15:33
75	0	(typical near6 inches) with (laser near6 (package or packages or module or modules))	USPAT	2003/07/21 15:34
76	0	(typical near6 "mm") with (laser near6 (package or packages or module or modules))	USPAT	2003/07/21 15:34

